ELSEVIER

Brain Research 657 (1994) 357–359

BRAIN RESEARCH

Author Index

Abe, Y., see Furukawa, K. (657) 185
Akaike, N., see Furukawa, K. (657) 185
Angulo, J., see Grillo, C. (657) 83
Araki, T., see Kanai, Y. (657) 51
Arbel, I., Kadar, T., Silbermann, M. and Levy, A.
The effects of long-term corticosterone administration on hippocampal morphology and cognitive performance of middle-aged rats (657) 227
Asanuma, M., see Ogawa, N. (657) 207
Asari, S., see Fukuhara, T. (657) 333
Aste, N., see Viglietti-Panzica, C. (657) 171
Auman, J.T., see Levin, E.D. (657) 165

Badoer, E., McKinley, M.J., Oldfield, B.J. and McAllen, R.M.
Localization of barosensitive neurons in the caudal ventrolateral medulla which project to the rostral ventrolateral medulla (657) 258
Balthazart, J., see Foidart, A. (657) 105
Balthazart, J., see Viglietti-Panzica, C. (657) 171
Bastone, A., see Ferri, G.-L. (657) 315
Benetti, A.P., see Bereiter, D.A. (657) 73
Bereiter, D.A., Hathaway, C.B. and Benetti, A.P.
Caudal portions of the spinal trigeminal complex are necessary for autonomic responses and display Fos-like immunoreactivity after corneal stimulation in the cat (657) 73
Blessing, W.W., see Gieroba, Z.J. (657) 330
Bodnar, R.J., see Glass, M.J. (657) 310
Bodnar, R.J., see Koch, J.E. (657) 191
Bonuccelli, U., Garant, D.S., Maggio, R. and Fariello, R.
Motor expression of kainic acid seizures is attenuated by dopamine depletion in mice (657) 269
Briggs, S.J., see Levin, E.D. (657) 165

Carlson, J.N., see Glick, S.D. (657) 14
Chao, E.C., see Piesman, M. (657) 320
Chiba, T., see Hanazawa, T. (657) 7
Christopher, N.C., see Levin, E.D. (657) 165
Cichi, A., see Ferri, G.-L. (657) 315
Creveling, C.R., see Inoue, K. (657) 307
Cropper, E.C., see Hooper, S.L. (657) 337
Czernik, A.J., see Simonian, N.A. (657) 294
Czyrak, A., see Wędzony, K. (657) 351

Dahl, D., see Ferri, G.-L. (657) 315
D'Aniello, B., Pinelli, C., King, J.A. and Rastogi, R.K.
Neuroanatomical organization of GnRH neuronal systems in the lizard (*Podarcis s. sicula*) brain during development (657) 221
DeFelipe, J., Huntley, G.W., Del Río, M.R., Sola, R.G. and Morrison, J.H.
Microzonal decreases in the immunostaining for non-NMDA ionotropic excitatory amino acid receptor subunits GluR 2/3 and GluR 5/6/7 in the human epileptogenic neocortex (657) 150
Deinum, M.E., see Timmerman, W. (657) 275
Del Río, M.R., see DeFelipe, J. (657) 150
De Nicola, A.F., see Grillo, C. (657) 83

Elvhage, T., see Simonian, N.A. (657) 294
Esumi, H., see Hanazawa, T. (657) 7

Fariello, R., see Bonuccelli, U. (657) 269
Feldman, A.G., see Levin, M.F. (657) 23
Ferri, G.-L., Cichi, A., Bastone, A., Gaudio, R.M., Frontali, N. and Dahl, D.
Experimental $\beta\beta'$-iminodipropionitrile (IDPN) neuropathy: neurofilament profile of sensory, motor and autonomic nerves as seen by immunocytochemistry on whole-mount preparations (657) 315
Fiskum, G., see Perry, D.C. (657) 65
Foidart, A., Harada, N. and Balthazart, J.
Effects of steroidal and non steroidal aromatase inhibitors on sexual behavior and aromatase-immunoreactive cells and fibers in the quail brain (657) 105
Frontali, N., see Ferri, G.-L. (657) 315
Fukuhara, T., Nishio, S., Ono, Y., Kawauchi, M., Asari, S. and Ohmoto, T.
Induction of Cu,Zn-superoxide dismutase after cortical contusion injury during hypothermia (657) 333
Fukunaga, K., see Tokutomi, N. (657) 202
Fukuoka, H., Kawatani, M., Hisamitsu, T. and Takeshige, C.
Cutaneous hyperalgesia induced by peripheral injection of interleukin-1β in the rat (657) 133
Furuichi, M., see Miyazaki, S. (657) 325
Furukawa, K., Abe, Y., Sorimachi, M. and Akaike, N.
Nicotinic and muscarinic acetylcholine responses in the embryo chick ciliary ganglion cells (657) 185
Furuyama, J.-i., see Matsuyama, T. (657) 342

Gabreëls, B.A.Th.F., Swaab, D.F., Seidah, N.G., Van Duijnhoven, H.L.P., Martens, G.J.M. and Van Leeuwen, F.W.
Differential expression of the neuroendocrine polypeptide 7B2 in hypothalami of Prader-(Labhart)-Willi syndrome patients (657) 281
Garant, D.S., see Bonuccelli, U. (657) 269
Gaudio, R.M., see Ferri, G.-L. (657) 315
Gerard, P., see Schoenen, J. (657) 214
Gieroba, Z.J., Shapoval, L.N. and Blessing, W.W.
Inhibition of the A1 area prevents hemorrhage-induced secretion of vasopressin in rats (657) 330
Glass, M.J., Hahn, B., Joseph, A. and Bodnar, R.J.
Central opioid receptor subtype mediation of isoproterenol-induced drinking in rats (657) 310
Glick, S.D., Kuehne, M.E., Raucci, J., Wilson, T.E., Larson, D., Keller Jr., R.W. and Carlson, J.N.
Effects of *iboga* alkaloids on morphine and cocaine self-administration in rats: relationship to tremorigenic effects and to effects on dopamine release in nucleus accumbens and striatum (657) 14
Gold, P.W., see Makino, S. (657) 141
González, S.L., see Grillo, C. (657) 83
Gramsbergen, J.-B.P., see Sloot, W.N. (657) 124
Greengard, P., see Simonian, N.A. (657) 294
Grillo, C., Piroli, G., González, S.L., Angulo, J., McEwen, B.S. and De Nicola, A.F.
Glucocorticoid regulation of mRNA encoding (Na + K)ATPase α_3 and β_1 subunits in rat brain measured by in situ hybridization (657) 83
Gruen, E., see Piesman, M. (657) 320

Hahn, B., see Glass, M.J. (657) 310
Han, J.-S., see Pu, S.-F. (657) 159

Hanazawa, T., Konno, A., Kaneko, T., Tanaka, K., Ohshima, H., Esumi, H. and Chiba, T.
Nitric oxide synthase-immunoreactive nerve fibers in the nasal mucosa of the rat (657) 7
Harada, N., see Foidart, A. (657) 105
Hata, R., see Matsuyama, T. (657) 342
Hathaway, C.B., see Bereiter, D.A. (657) 73
Hisamitsu, T., see Fukuoka, H. (657) 133
Hooper, S.L., Probst, W.C., Cropper, E.C., Kupfermann, I. and Weiss, K.R.
SCP application or B15 stimulation activates cAPK in the ARC muscle of *Aplysia* (657) 337
Hosseinzadeh, H. and Stone, T.W.
A paradoxical inhibitory effect of xanthines on hippocampal excitability in calcium-free media (657) 300
Huntley, G.W., see DeFelipe, J. (657) 150
Hyman, B.T., see Simonian, N.A. (657) 294

Inoue, K., Creveling, C.R., Karasawa, N., Isomura, G. and Nagatsu, I.
Measurement of DOPA and immunolocalization of L-DOPA-positive nerve fibers in rat dental pulp (657) 307
Isomura, G., see Inoue, K. (657) 307

Janszen, A.W.J.W., see Romijn, H.J. (657) 245
Jodogne, C., Marinelli, M., Le Moal, M. and Piazza, P.V.
Animals predisposed to develop amphetamine self-administration show higher susceptibility to develop contextual conditioning of both amphetamine-induced hyperlocomotion and sensitization (657) 236
Joseph, A., see Glass, M.J. (657) 310

Kadar, T., see Arbel, I. (657) 227
Kanai, Y., Araki, T., Kato, H. and Kogure, K.
Effect of pentobarbital on postischemic MK-801, muscimol, and naloxone bindings in the gerbil brain (657) 51
Kaneko, T., see Hanazawa, T. (657) 7
Kano, T., see Miyazaki, S. (657) 325
Kaplan, G.B., Leite-Morris, K.A. and Sears, M.T.
Alterations of adenosine A_1 receptors in morphine dependence (657) 347
Karasawa, N., see Inoue, K. (657) 307
Kariya, K., Tanaka, J. and Nomura, M.
Systemic administration of CCK-8S, but not CCK-4, enhances dopamine turnover in the posterior nucleus accumbens: a microdialysis study in freely moving rats (657) 1
Katayama, Y., see Miyazaki, S. (657) 325
Kato, H., see Kanai, Y. (657) 51
Kawai, M., see Ogawa, N. (657) 207
Kawatani, M., see Fukuoka, H. (657) 133
Kawauchi, M., see Fukuhara, T. (657) 333
Keller Jr., R.W., see Glick, S.D. (657) 14
King, J.A., see D'Aniello, B. (657) 221
Kita, H.
Parvalbumin-immunopositive neurons in rat globus pallidus: a light and electron microscopic study (657) 31
Koch, J.E. and Bodnar, R.J.
Selective alterations in macronutrient intake of food-deprived or glucoprivic rats by centrally-administered opioid receptor subtype antagonists in rats (657) 191
Kogure, K., see Kanai, Y. (657) 51
Kohno, M., see Ogawa, N. (657) 207
Konno, A., see Hanazawa, T. (657) 7
Kruk, Z.L., see Wieczorek, W.J. (657) 42
Kuehne, M.E., see Glick, S.D. (657) 14
Kupfermann, I., see Hooper, S.L. (657) 337

Larson, D., see Glick, S.D. (657) 14
Leite-Morris, K.A., see Kaplan, G.B. (657) 347
Le Moal, M., see Jodogne, C. (657) 236
Levin, E.D., Briggs, S.J., Christopher, N.C. and Auman, J.T.
Working memory performance and cholinergic effects in the ventral tegmental area and substantia nigra (657) 165
Levin, M.F. and Feldman, A.G.
The role of stretch reflex threshold regulation in normal and impaired motor control (657) 23
Levy, A., see Arbel, I. (657) 227

Maggio, R., see Bonuccelli, U. (657) 269
Makino, S., Gold, P.W. and Schulkin, J.
Effects of corticosterone on CRH mRNA and content in the bed nucleus of the stria terminalis; comparison with the effects in the central nucleus of the amygdala and the paraventricular nucleus of the hypothalamus (657) 141
Marinelli, M., see Jodogne, C. (657) 236
Martens, G.J.M., see Gabreëls, B.A.Th.F. (657) 281
Masumizu, T., see Ogawa, N. (657) 207
Matsuyama, T., Hata, R., Tagaya, M., Yamamoto, Y., Nakajima, T., Furuyama, J.-i., Wanaka, A. and Sugita, M.
Fas antigen mRNA induction in postischemic murine brain (657) 342
McAllen, R.M., see Badoer, E. (657) 258
McEwen, B.S., see Grillo, C. (657) 83
McKinley, M.J., see Badoer, E. (657) 258
Miyamoto, E., see Tokutomi, N. (657) 202
Miyazaki, S., Katayama, Y., Furuichi, M., Kano, T., Yoshino, A. and Tsubokawa, T.
N-Methyl-D-aspartate receptor-mediated, prolonged afterdischarges of CA1 pyramidal cells following transient cerebral ischemia in the rat hippocampus in vivo (657) 325
Montagne-Clavel, J. and Olivéras, J.-L.
Are ventromedial medulla neuronal properties modified by chronic peripheral inflammation? A single-unit study in the awake, freely moving polyarthritic rat (657) 92
Mori, A., see Ogawa, N. (657) 207
Morris, R.G.M., see Yau, J.L.W. (657) 59
Morrison, J.H., see DeFelipe, J. (657) 150

Nagatsu, I., see Inoue, K. (657) 307
Nakajima, T., see Matsuyama, T. (657) 342
Nishi, K., see Tokutomi, N. (657) 202
Nishio, S., see Fukuhara, T. (657) 333
Nomura, M., see Kariya, K. (657) 1

Ogawa, N., Tanaka, K.-i., Asanuma, M., Kawai, M., Masumizu, T., Kohno, M. and Mori, A.
Bromocriptine protects mice against 6-hydroxydopamine and scavenges hydroxyl free radicals in vitro (657) 207
Ohmoto, T., see Fukuhara, T. (657) 333
Ohshima, H., see Hanazawa, T. (657) 7
Oldfield, B.J., see Badoer, E. (657) 258
Olivéras, J.-L., see Montagne-Clavel, J. (657) 92
Ono, Y., see Fukuhara, T. (657) 333

Panzica, G.C., see Viglietti-Panzica, C. (657) 171
Perry, D.C., Wei, H., Rosenthal, R.E. and Fiskum, G.
Autoradiographic analysis of L- and N-type voltage-dependent calcium channel binding in canine brain after global cerebral ischemia/reperfusion (657) 65
Piazza, P.V., see Jodogne, C. (657) 236
Piesman, M., Chao, E.C., Gruen, E., Woody, C.D. and Zotova, E.
Inhibition of discharge in inferior colliculus, A_{II} cortex and Ep cortex after presentations of click stimuli (657) 320
Pinelli, C., see D'Aniello, B. (657) 221
Piroli, G., see Grillo, C. (657) 83
Poelman, R.T., see Timmerman, W. (657) 275
Probst, W.C., see Hooper, S.L. (657) 337
Pu, S.-F., Zhuang, H.-X. and Han, J.-S.
Cholecystokinin octapeptide (CCK-8) antagonizes morphine analgesia in nucleus accumbens of the rat via the CCK-B receptor (657) 159

Rastogi, R.K., see D'Aniello, B. (657) 221
Raucci, J., see Glick, S.D. (657) 14
Romijn, H.J., Janszen, A.W.J.W. and Van Marle, J.
Quantitative immunofluorescence data suggest a permanently enhanced GAD_{67}/GAD_{65} ratio in nerve endings in rat cerebral cortex damaged by early postnatal hypoxia-ischemia: a comparison between two computer-assisted procedures for quantification of confocal laser scanning microscopic immunofluorescence images (657) 245
Rosenthal, R.E., see Perry, D.C. (657) 65

Schoenen, J., Wang, W. and Gerard, P.
Modulation of temporalis muscle exteroceptive suppression by limb stimuli in normal man (657) 214

Schuiling, G.A., see Timmerman, W. (657) 275
Schulkin, J., see Makino, S. (657) 141
Sears, M.T., see Kaplan, G.B. (657) 347
Seckl, J.R., see Yau, J.L.W. (657) 59
Seidah, N.G., see Gabreëls, B.A.Th.F. (657) 281
Shapoval, L.N., see Gieroba, Z.J. (657) 330
Silbermann, M., see Arbel, I. (657) 227
Simonian, N.A., Elvhage, T., Czernik, A.J., Greengard, P. and Hyman, B.T.
Calcium/calmodulin-dependent protein kinase II immunostaining is preserved in Alzheimer's disease hippocampal neurons (657) 294
Sloot, W.N. and Gramsbergen, J.-B.P.
Axonal transport of manganese and its relevance to selective neurotoxicity in the rat basal ganglia (657) 124
Sola, R.G., see DeFelipe, J. (657) 150
Sorimachi, M., see Furukawa, K. (657) 185
Stone, T.W., see Hosseinzadeh, H. (657) 300
Sugita, M., see Matsuyama, T. (657) 342
Swaab, D.F., see Gabreëls, B.A.Th.F. (657) 281

Tagaya, M., see Matsuyama, T. (657) 342
Takeshige, C., see Fukuoka, H. (657) 133
Tanaka, J., see Kariya, K. (657) 1
Tanaka, K., see Hanazawa, T. (657) 7
Tanaka, K.-i., see Ogawa, N. (657) 207
Timmerman, W., Deinum, M.E., Poelman, R.T., Westerink, B.H.C. and Schuiling, G.A.
Characterisation of the DA-ergic system in the mediobasal hypothalamus: a new approach to simultaneously monitor the release of DA from the TIDA neurons and the PRL secretion from the adenohypophysis in awake rats (657) 275
Tokutomi, N., Tokutomi, Y., Fukunaga, K., Miyamoto, E. and Nishi, K.
Bradykinin-evoked non-specific cationic current in neuroblastoma-glioma hybrid (NG108-15) cells and its down-regulation through differentiation (657) 202
Tokutomi, Y., see Tokutomi, N. (657) 202
Tsubokawa, T., see Miyazaki, S. (657) 325

Van Duijnhoven, H.L.P., see Gabreëls, B.A.Th.F. (657) 281
Van Leeuwen, F.W., see Gabreëls, B.A.Th.F. (657) 281
Van Marle, J., see Romijn, H.J. (657) 245
Viglietti-Panzica, C., Aste, N., Balthazart, J. and Panzica, G.C.
Vasotocinergic innervation of sexually dimorphic medial preoptic nucleus of the male Japanese quail: influence of testosterone (657) 171

Wanaka, A., see Matsuyama, T. (657) 342
Wang, W., see Schoenen, J. (657) 214
Wędzony, K. and Czyrak, A.
The role of corticosteroids in the acquisition of sensitization to locomotor stimulant effects of MK-801 (657) 351
Wei, H., see Perry, D.C. (657) 65
Weiss, K.R., see Hooper, S.L. (657) 337
Westerink, B.H.C., see Timmerman, W. (657) 275
Wieczorek, W.J. and Kruk, Z.L.
A quantitative comparison on the effects of benztropine, cocaine and nomifensine on electrically evoked dopamine overflow and rate of re-uptake in the caudate putamen and nucleus accumbens in the rat brain slice (657) 42
Wilson, T.E., see Glick, S.D. (657) 14
Woody, C.D., see Piesman, M. (657) 320

Yamamoto, Y., see Matsuyama, T. (657) 342
Yau, J.L.W., Morris, R.G.M. and Seckl, J.R.
Hippocampal corticosteroid receptor mRNA expression and spatial learning in the aged Wistar rat (657) 59
Yoshino, A., see Miyazaki, S. (657) 325

Zhuang, H.-X., see Pu, S.-F. (657) 159
Zotova, E., see Piesman, M. (657) 320